	Application No.	Applicant(s)
Notice of Allowability		
	10/743,489 Examiner	ROSENFELD, DANIEL Art Unit
	O'bloot D. Mister	2625
	O'Neal R. Mistry	2625
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to 12/23/2003.		
2. X The allowed claim(s) is/are 47-56 (Re-numbered as 1-10).		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendr	te .

Art Unit: 2625

The response received on 2/3/06 has been placed in the file and was considered by the examiner. An action on the merits follows.

Allowable Subject Matter

Claims 47-56 (Re-numbered as 1-10) are allowed.

The following is an examiner's statement of reasons for allowance:

Liu discloses a system that allows a first spatial distribution and a second spatial distribution to be combined to create a new third spatial distribution. The purpose of the mathematical equation it to improve the method of images quality from a MRI machine. By combine the two spatial distribution, this allows the image to contain two different region information.

Liu does not discloses the method of having a first spatial distribution and a second spatial distribution having data points that both fall into same domain range, and re-sampling of data points from the first spatial distribution onto the second spatial distribution without generating artifacts in the data. In addition, Liu does not teach, the re-sampled data (i.e. new spatial distribution) must be within the original domain range of the first and second spatial distribution, and, finally, changing the domain range after the re-sampling is complete to create a new domain range. It is for all of the above-identified reasons, and in combination with all of the other elements that claims 47-56 (Re-number as 1-10) are allowable over the closest prior art of Liu.

Application/Control Number: 10/743,489

Art Unit: 2625

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclose.

- 1. Lu (U.S. Patent Number 5720708) disclosed high frame rate imaging with limited diffraction beams.
- 2. Ohhashi (U.S. Patent Number 5524130) disclosed computed tomography apparatus.
- 3. Swerdloff (U.S. Patent Number 5483567) disclosed computerized method for converting polar tomographic data to a cartesian image format.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to O'Neal R. Mistry whose telephone number is (571) 272-4052. The examiner can normally be reached on 9am - 6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh M. Mehta can be reached on (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/743,489

Art Unit: 2625

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

O'Neal Mistry Assistant Patent Examiner Art Unit 2625 o'neal.mistry@uspto.gov DANIEL MIRIAM